

AIRCRAFT DESIGN AND SYSTEMS GROUP (AERO)

Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective

Dieter Scholz

Hamburg University of Applied Sciences



Press Meeting

10 Years German Wings "Cabin Air Contamination Event" (CACE): 2010-12-19

Online, HAW Hamburg, 2020-12-18

<http://purl.org/CabinAir/HAW2020>

<http://CabinAir.ProfScholz.de>



Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective

Contents

- Introduction
- **Jet Engine Oil**
- **Air Conditioning** Technology
- **Jet Engine** Technology
- **Engineering Design Principles** from SAE
- The **Legal Problem**
- Solution: **Bleed Free Design**; during transition: **Filters**
- Summary
- Contact

Introduction



Fume Event on US Airways Flight 432 Phoenix to Maui in 2010

Video on: <https://youtu.be/AZqeA32Em2s>

Note:

- Smell events (without fumes) are much more frequent than fume events.
- Health effects have been reported from smell events alone (where patients never encountered a fume event) .

Introduction

Definition: Cabin Air Contamination Event (CACE)

In a Cabin Air Contamination Event (CACE) the air in the cabin and/or cockpit of an aircraft is contaminated. Sensation of the contamination can be from vision (**fume/smoke**), olfaction (**smell/odor**), a combination of typical **symptoms** experienced by several passengers and/or crew or by related **measurements** of CO, CO₂, ozon or other "harmful or hazardous concentrations of gases or vapours" (CS-25.831).

Headache	Drowsiness
Dizziness	Impaired vision
Nausea	Vomiting
Tingling (e.g. hands, feet, etc.)	Trembling
Numbness	Irritated eyes/throat/nose
Difficulty speaking and finding words	Memory problems
Muscle incoordination	
Breathing difficulties	Coughing

Typical symptoms following a CACE (ECA 2017)

Detach the definition from merely human sensation.

Allow also drastic health degradation to define the event.

Objective measurements would certainly be best, but are usually not available.

Jet Engine Oil - Ingredients

warning:

contains **TCP**
tricresylphosphate.
 Swallowing this product
 can cause nervous
 system disorders,
 including paralysis.
 Prolonged breathing of oil
 mist, or prolonged or
 repeated skin contact can
cause nervous system
effects.



(Cannon 2016)

Judging Jet Engine Oil Based on Warnings Given by Manufacturer

ExxonMobil

Material Safety Data Sheet (MSDS)

FIRST AID MEASURES, INHALATION

Remove from further exposure [*in a fume event?*]... Use adequate respiratory protection [*not available for passengers!*]. If respiratory irritation, dizziness, nausea, or **unconsciousness** occurs, seek immediate medical assistance. If **breathing** has **stopped**, assist ventilation with a mechanical device or use mouth-to-mouth **resuscitation**.

(Exxon 2016a)

This warning was changed in 2004 (Michaelis 2012) to:

"This product is **not** expected to produce adverse **health effects** under normal conditions of use ... Product may decompose at elevated temperatures ... and give off irritating and/or **harmful ... gases/vapours/fumes**. Symptoms from acute exposure to these decomposition products **in confined spaces [aircraft cabin]** may include **headache, nausea, eye, nose, and throat irritation.**"

(Exxon 2016a)

Jet Engine Oil - On Its Way

How Do We Know about Oil in the Cabin?

Oil has left traces on its way from the engine to the cabin interior:

1. Oil traces in bleed duct
2. Oil traces in air conditioning ducts
3. Oil traces in recirculation filters
4. Oil traces on cabin surfaces (wall panels, seats, ...)

Evidence collected in: Scholz 2017




1.



2.



3.




4.

Air Conditioning Technology


Air Conditioning Basics

Temperature Control, Pressure Control, Ventilation



Air Conditioning Technology


Air Conditioning with Recirculation



Adapted from (NRC 2002)

Air Conditioning Technology


Complete Air Conditioning System



Lufthansa 2015

Jet Engine Technology

Engine Overview




Engine Alliance GP7000

(Assuntos Militares 2013)

Jet Engine Technology

Labyrinth Seals / Brush Seals – All Seals Leak by Design



labyrinth seal

Childs 2017



Flitney 2014




brush seal



DGLR 2014

Jet Engine Technology

Engine Air and Oil System



Normal operation of engine seals:

1. The "**drain**" discharges **oil**.
2. The "**dry cavity**" contains **oil**.
3. Air and **oil** leak from bearings **into** the **bleed air**.

=> Engines leak small amounts of oil by design!

based on (Exxon 2016b)



SAE AIR 1168-7: Aerospace Pressurization System Design

(first edition: 1991, A in 2011)

“Compressor bleed from turbine engines is attractive because of the mechanical simplicity of the system.” However, **“oil contamination ... can occur in using compressor bleed air from the main engines.”** “Popular opinion regarding the risk of obtaining contaminated air from the engine **may preclude its use for transport aircraft, regardless of other reasons.**”

Where Are the Legal Problems?

1.) **Missing sensors** for air quality on board

EASA CS-25.1309 (c) Information concerning unsafe system operating conditions must be provided to the crew to enable them to take appropriate corrective action

EASA AMC-25.1309 c. Compliance with CS 25.1309(c).

(5) Even if operation or performance is unaffected or insignificantly affected at the time of failure, information to the crew is required if it is considered necessary for the crew to take any action or observe any precautions.

2.) **Fail-Safe Design Concept violated with bleed air** used for the cabin

EASA AMC-25.1309 b. Fail-Safe Design Concept.

(2) The fail-safe design concept uses the following design principles:

(xi) Error-Tolerance that considers adverse effects of foreseeable errors during the aeroplane's design, test, manufacture, operation, and maintenance.

Known deficiencies (here: oil contamination of bleed air) are not allowed. The system has to be error-tolerant to yet UNKNOWN design errors that have to be envisaged because it is a known fact in life that errors do occur. The system's error-tolerance is compromised, if it has to cope with already known design errors that are not rectified out of negligence relying on the systems error-tolerance. This means: The fail-safe design concept is not applied here.

Where Are the Legal Problems?

3.) Cabin air must be free from contamination

EASA 2017: CS 25.831 Ventilation

- (a) Each passenger and crew compartment must be ventilated ... to enable crewmembers to perform their duties without undue discomfort or fatigue.
- (b) Crew and passenger compartment air must be free from harmful or hazardous concentrations of gases or vapours.

CO, CO₂, ozone concentration limits are given, but not for other substances. This does not mean that other substances are allowed in any concentration (BFU 2014) "The BFU is of the opinion that a product [aircraft] which has received a type certificate by EASA should be designed in a way that neither crew nor passengers are harmed or become chronically ill." (BFU 2014)

4.) Bleed air is not tested to be fit for use in the cabin as stated:


EASA 2018: CS-E 690 (b)

- (b) Contamination Tests of Bleed Air for Cabin Pressurisation or Ventilation. The specifications of this paragraph (b) are applicable where it is desired to declare that compressor bleed air is suitable for direct use in an aircraft cabin pressurisation or ventilation system.
 - (1) Tests to determine the purity of the air supply must be made.
 - (2) An analysis of defects which could affect the purity of the bleed air must be prepared and where necessary the defects must be simulated and tests, as agreed by the Agency, must be made to establish the degree of contamination which is likely to occur.

Solution: Compress Outside Air – Bleed Free Design

Solution Boeing 787

(Boeing 2007)





The "Pack" of the B787's Environmental Control System (ECS) is powered by electric motors (M) to compress ambient air up to cabin pressure and to push the air through the heat exchangers (HX) for cooling. The power for the electric motors is produced by generators (SG) connected to the aircraft's engine and APU. After compression and cooling the air is delivered to the cabin.



Solution: Compress Outside Air – Bleed Free Design

**Airbus – A Solution Exists,
but Is Not Applied!**

Electrical innovations
flightlab



Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective

Summary

- Frequent Cabin Air Contamination Events (CACEs) show: There is a real problem:
 - **engines leak oil by design,**
 - **oil can be traced on its way from the engine into the cabin, ...**
- There is a **legal problem** / Democracy corrupted?
- Technical solution: **Bleed-free architecture** with direct air intake and dedicated compressor
- Short term partial technical solution: **Carbon filter:**
 - a) in the **duct to the cabin** and
 - b) attached to the **recirculation** filtersuitable for retrofit

Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective

Contact

info@ProfScholz.de

<http://www.ProfScholz.de>

<http://CabinAir.ProfScholz.de>

Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective

References

Assuntos Militares 2013

Assuntos Militares: *Engine Alliance GP7000* (picture), 2013. – URL: <https://goo.gl/images/gYIW31>;
<http://www.assuntosmilitares.jor.br/2013/01/pratt-fornecera-turbinas-embraer.html>

Boeing 2007

Sinnett, Mike: 787 No-Bleed Systems: Saving Fuel and Enhancing Operational Efficiencies. In: Boeing: *AERO*, 2007, No. 4, Art. 2, pp. 6-11. – URL: http://www.boeing.com/commercial/aeromagazine/articles/qtr_4_07/article_02_1.html

Cannon 2016

Cannon, Frank: Aircraft cabin air contamination and aerotoxic syndrome – A review of the evidence. In: Collegium Basilea: *Nanotechnology Perceptions*, Vol. 12 (2016), pp. 73-99, <https://doi.org/10.4024/N08CA16A.ntp.12.02>. – Download: URL: <http://skybrary.aero/bookshelf/books/3594.pdf>

Childs 2017

Childs, Peter RN: *Jet Engine Internal Air Systems*. Presentation. International Aircraft Cabin Air Conference 2017, Imperial College London, 19.-20.09.2017.

EASA CS-25

European Aviation Safety Agency (EASA): *Certification Specification (CS-25) "Large Aeroplanes"*, 2017. – URL: <https://www.easa.europa.eu/certification-specifications/cs-25-large-aeroplanes>

References

EASA CS-E

European Aviation Safety Agency (EASA): *Certification Specifications (CS-E) "Engines"*, 2020. – URL: <https://www.easa.europa.eu/certification-specifications/cs-e-engines>

ECA 2017

European Cockpit Association (ECA): *ECA Guidelines on Smoke & Fume / Smell Events*, 2017. – URL: [https://www.eurocockpit.be/sites/default/files/2017-06/Guidelines on smoke, fume, smell events, ECA 2017.pdf](https://www.eurocockpit.be/sites/default/files/2017-06/Guidelines%20on%20smoke,%20fume,%20smell%20events,%20ECA%202017.pdf)

Exxon 2016a

EXXON: *Material Safety Data Sheet (MSDS): Mobile Jet Oil II*, 2016. – URL: <http://www.msds.exxonmobil.com/IntApps/psims/Download.aspx?ID=743589>

Exxon 2016b

EXXON: *Jet Engine Oil System, Part 2: Bearing Sump Lubrication*, 2016. – URL: <https://www.exxonmobil.com/en/aviation/knowledge-library/resources/jet-engine-oil-system-2>

Flitney 2014

Flitney, Robert K.: A Description of the Types of High Speed Rotary Shaft Seals in Gas Turbines Engines and the Implications for Cabin Air Quality. In: *Journal of Biological Physics and Chemistry*, vol. 14 (2014), no. 4, pp. 85-89. – URL: <https://doi.org/10.4024/17FL14R.jbpc.14.04> (Abstract), Open Access: <https://bit.ly/2Uc8hnG>

Liebherr 2016

Liebherr: *Electrical Environmental Control System of Liebherr Successful during First Flight of Clean Sky/Airbus Flight Lab*, Press Release, 2016-07-15. – URL: <https://www.liebherr.com/en/aus/latest-news/news-press-releases/detail/electrical-environmental-control-system-of-liebherr-successful-during-first-flight-of-clean-sky-airbus-flight-lab.html>

References

Lufthansa 2015

Lufthansa: *Lufthansa-Spotlight #2: Kabinenluft*, 2015. – URL: <https://bit.ly/36fctrl>

Michaelis 2012

Michaelis, Susan: *Aircraft Cabin Air Contamination - Health & Flight Safety Implications*, Lecture at Hamburg University of Applied Sciences, 2012-11-08, DGLR / RAeS / VDI, Lecture Notes, 2012. – URL: <http://hamburg.dglr.de>
(Vorträge 2. Halbjahr 2012)

NRC 2002

National Research Council: *The Airliner Cabin Environment and the Health of Passengers and Crew*, 2002. – Committee on Air Quality in Passenger Cabins of Commercial Aircraft, Board on Environmental Studies and Toxicology. ISBN: 0-309-56770-X. Download from: National Academies Press, URL: <http://www.nap.edu/catalog/10238.html>

SAE AIR 1168-7

Standard SAE AIR 1168-7, *Aerospace Pressurization System Design*, 2011 (first edition 1991, A in 2011). – URL: <https://doi.org/10.4271/AIR1168/7>, <https://saemobilus.sae.org/content/AIR1168/7>, <https://saemobilus.sae.org/content/AIR1168/7A>

Scholz 2017

Scholz, Dieter: *Aircraft Cabin Air and Engine Oil - A Systems Engineering View*. Presentation: Hamburg Aerospace Lecture Series (DGLR, RAeS, VDI, ZAL, HAW Hamburg), Hamburg, Germany, 2017-04-27. – URL: <https://doi.org/10.5281/zenodo.1237858>

Quote this document:

Scholz, Dieter: *Contaminated Aircraft Cabin Air – An Aeronautical Engineering Perspective*. Press Meeting, Online, HAW Hamburg, 2020-12-18. – URL: <http://purl.org/CabinAir/HAW2020>, <http://CabinAir.ProfScholz.de>