## Metadata for Tidal Data Exchange

#### Station Name

Samoa

Date of Supply

Tuesday, 7 December 2010

Identification			
Station Number	BoM=200814 ATT=6684 WMO=91756		
Name	Samoa		
Latitude and	-13.8267	+/- 3m	
Estimated Positional Uncertainty			
Longitude and	-171.7611	+/- 3m	
Estimated Positional Uncertainty			
Map Name			
Map Number			
Map Grid Northing			
Map Grid Easting			
Type of Readings	•		
Heights	Observations		
Streams			
Streams			
Constituent constants			
(Delete those not applicable)			
Progress *			
Update Frequency *	Real Time		
Available Format Type *	DIGITAL, text		
Measurement Units			
Tidal Heights	metres		
Tidal Streams			
(Delete those not applicable)			
Reference Frame			
Time Zone	UTC		
Vertical Reference Frame	MSL		
TGBM Name/Number	+/- 2mm		
TGBM Elevation relative to the	Geodetic Datum of Aust (GDA94)		
vertical reference			
Estimated Positional Uncertainty			
Horizontal Reference Frame	+/-		
Direction of Stream Readings			
Depth of Stream Readings (relative to			
Vertical Reference Frame)			
Estimated Positional Uncertainty			
Search Words *	Marine, Oceanograph	iy, Water, Samoa	
Data Owner Details			
Name	National Tidal Centre		
Postal Address		PO Box 421, Kent Town, SA 5071	
Street Address	25 College Road, SA 5071		
Telephone	08 8366 2730		
Facsimile	08 8366 2651		
Email	ntc@bom.gov.au	1	
Internet	www.bom.gov.au/oce	eanography	
Contact Officer Details	D 1D 11		
Name	Paul Davill		
Position	Data Manager		
Telephone	08 8366 2730		
Email	ntc@bom.gov.au		
Data Custodian Details			

# Metadata for Tidal Data Exchange

### Station Name

Samoa

Date of Supply Tuesday, 7 Dece	mber 2010	
Name	National Tidal Centre	
Postal Address	PO Box 421, Kent Town, SA 5071	
Street Address	25 College Road, SA 5071	
Telephone	08 8366 2730	
Facsimile	08 8366 2651	
Email	ntc@bom.gov.au	
Internet	www.bom.gov.au/oceanography	
Contact Officer Details		
Name	Paul Davill	
Position	Data Manager	
Telephone	08 8366 2730	
Email	ntc@bom.gov.au	
Details of the Readings Provided Herewit		
Date of readings supplied		
From	Feb-93	
То	Current	
The time interval between readings (If	1-minute (average of 60, 1-second samples)	
the readings are for high & low water	6-minute (average of 60, 1-second samples)	
then enter "Zero")	Hourly (filtered with a cut-off of 2 hours)	
Are the readings averaged or filtered	See above. 1-minute samples are logged at the end of	
The the readings averaged of multu	each minute, 6-minute centred on 0.1-hour increments	
Are there any access constraints	No	
(such as commercial-in-confidence or		
constraint on the use or distribution to		
third parties).		
Objective Quality Assessment of Tidal Ob	nservations (Height or Stream)	
Instrument		
Туре	Sutron 9000	
Make	Suion 2000	
Model		
Sensor		
Туре	Acoustic-in-air sensor	
Make	Aquatrak® Transducer	
Model	Aquatrak NG XCR	
Mode of operation	RS-232	
Frequency of System Calibrations		
Field calibration and	every 18 months	
Laboratory calibration	every 18 months	
Frequency of Water Level Checks	· ·	
Estimate of the Precision of the Water		
Level Checks		
Time (Std Dev in Minutes)	1mm +/-	
Height (Std Dev in metres)		
System Resolution		
Estimated Local Uncertainty		
Status of the Readings		
Description of the validation process		
including a statement detailing how:-		
1. The instrumental biases were treated	Standard deviations	
2. Outliers were selected and dealt with	Reported	
3. Breaks in the record were dealt with	Recovered where possible	
Date of Validation	Checked each month, for previous month	
Name of Person certifying the validation	NTC Data Analysis Department	

## Metadata for Tidal Data Exchange

#### Station Name

Samoa

Date of Supply

Tuesday, 7 December 2010

Details required with the supply of tidal constituent constants		
All of the details required above		
The name and version of the software	TANS	
used to calculate the constants		
The tidal constituent model used	Doodson's method	
(particularly noting the treatment of		
the constituents Sa and Ssa) and		
specifying any related (inferred)		
constituent constants		
The date span used to prepare the	1993-2007 (for 2010)	
constituent constants		
The reference time zone for the	Local (+1100)	
constituents		
The vertical datum to which the	3.459m below BM48	
constituents apply		
A precision estimate of predictions	Standard Deviation is 0.082	
based on the constituent constants (for		
example, standard deviation of the		
analysis residuals)		
Additional details required with the supply of tidal predictions		
All of the details required above		
A statement describing the tidal	Doodson's method	
prediction process used		
The name and version of the software	Tipp4	
used to calculate the predictions		
A list of the constituent constants used	Standard 112 Constituent list	
or if the list is not provided, the donor		
agency's identifier of the list		

#### Comments on data by Port Authority

• South Pacific Sea Level Climate Monitoring Program (SPSLCMP)